



MAXIVOLT.COM
SERIOUS SURGE PROTECTION®

ICP-CRA-120



*ICP-CRA-120 has only one protection module

- **Optimized Protection Level**
- **SenseTech® Communication**
 - **Form C Dry Contacts**
- **Replacable Protection Module**
- **Integrated Safety Fusing**
- **NEMA® 4X Rated Enclosure**
- **Custom Voltages Available**



Made in USA • Serious Surge Protection • Made in USA • Serious Surge Protection • Made in USA • Serious Surge Protection • Made in USA • Serious Surge Protection • Made in USA

ICP-CRA-120 Custom ICP Carrier and Relay Assembly

Application

Voltage 120 VAC
Configuration 1 Pole / 2 Wire

Characteristics



Fusing Non Serviceable
Indication Red Neon Light
Markings Silk Screened
Enclosure NEMA® Type 4X
Replacement Module ICP-110S

Certifications

Module Listing ETL ANSI/UL 1449
Environmental RoHS

Specifications

Modes of Protection L-N
Module Type 4
Clamp Voltage 180
MCOV 140
Operating Temperature -40° C to 85° C
Operating Humidity 1% to 95%
Filtering UL 1283
EMI-RFI Noise Attenuation < 40 db
Capacitance 1 to 1.5 µF / Line
Component Response Time < 1 ps
Dry Contact Interface 24VDC - 240 VAC
Relay Max Current 10 Amps



Maxivolt Corporation
800 South Rusk Street
Amarillo, Texas, USA

(806) 371-0722
(800) 583-4773
www.maxivolt.com